

Graphical Passwords for Use in a Data Processing Network

ABSTRACT

5

10

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500

A method and system for authorizing access to networked information using a graphically based password. In one embodiment, access to a restricted document is granted only after the user has demonstrated its authority to access the information by identifying a previously determined sequence of graphical images. If the user identifies the correct images, the user is granted access to the restricted information. In one embodiment, the graphical images may be presented to the user as a sequence of web pages where each page has multiple graphical images (icons). On each page in the sequence, the user selects (such as by clicking) the correct icon. The icon may be implemented as a link to the next web page in the password sequence. As each page is presented, the user clicks the correct icon thereby generating a sequence of accessed web pages. The server then verifies the user as an authorized user by comparing the sequence of web pages visited by the user to a predetermined sequence. In this manner, the password enabling a user to access confidential information comprises a sequence of web pages visited by the user. The graphically based password information may be supplemented with user identification information that is either entered by the user or provided by the user as cookie information. In this embodiment, the server may grant various levels of access based on the combination of the user identification information and the graphically entered password.